

CONFINED SPACE ENTRY PERMIT

Issue Date: _____ School Name: _____
 Issue Time: _____ Confined Space: _____
 Expiration Date: _____ Entry Personnel: _____
 Expiration Time: _____ Standby Personnel: _____

NOTE: DURATION OF PERMIT IS NOT TO EXCEED 8 HOURS FOR ENTRY INTO A CONFINED SPACE.

Atmospheric Checks Time: _____ am / pm
 Oxygen: _____ % (19.5%-22.5%)
 Combustible: _____ % L.E.L. (<10% CH₄)
 Toxic: _____ ppm (<10% H₂S)
 Carbon Monoxide: _____ ppm (<35ppm)

Tester's Name and Signature: _____

<u>Isolation of Pumps or Lines</u>	Yes	No	N/A
Pumps or lines blocked, blanked, or disconnected	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<u>Ventilation</u>	Yes	No	N/A
Mechanical	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Natural ventilation only	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Atmospheric Checks after Isolation and/or Ventilation (if necessary)

Oxygen: _____ % (19.5%-22.5%)
 Combustible: _____ % L.E.L. (<10% CH₄)
 Toxic: _____ ppm (<10% H₂S)
 Carbon Monoxide: _____ ppm (<35ppm)

Tester's Name and Signature: _____

<u>Equipment</u>	Yes	No	N/A
Calibrated 4-gas meter	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Safety harness/lifelines	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Communication equipment	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper PPE	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mechanical/retrieval devices	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical tools/lighting/non-spark tools	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

We have reviewed the work authorized by this permit and the information contained herein. Written instructions and safety procedures have been received and reviewed. This permit is not valid unless all appropriate items are completed and understood.

Prepared by: _____ (print) _____ (sign)

Approved by: _____ (print) _____ (sign)